

HOSPARUS HEALTH®

Haloperidol/Haldol

WHAT IS IT USED FOR?



Agitation



Restlessness



Nausea or vomiting



Seeing or hearing things that are not there



Confusion

For all doses:

- Only take this medicine as you are told to by your nurse or doctor
- Always write down the time you take your medicine

Regular doses:

- Take medicine as prescribed to prevent agitation, restlessness, nausea and vomiting, seeing or hearing things that are not there, or confusion

As-needed doses:

- Take as prescribed if you have agitation, restlessness, nausea or vomiting, are seeing or hearing things that are not there, or confusion
- Take 1 hour before doing an activity that causes you these symptoms



HOW AND WHEN SHOULD I TAKE THIS MEDICINE?


If you have trouble or cannot swallow your medicine, call Hosparus Health right away.

HOW LONG DOES IT TAKE TO WORK?

You should start feeling better within 1 hour of taking this medicine.



WHAT SIDE EFFECTS COULD I HAVE WITH THIS MEDICINE?



Feeling wobbly or unsteady



Being confused



Tremors or involuntary movements



Sleeping more



A hard time or not able to poop

These side effects should go away in 2 or 3 days. If they last longer than 3 days, call Hosparus Health.

WHEN SHOULD I CALL FOR HELP?



1-800-264-0521

Call Hosparus Health for help at 1-800-264-0521, if:

- You do not feel better after 1 hour of taking medicine
- You have to take 3 as-needed doses in a row to help with your agitation, restlessness, nausea and vomiting, seeing or hearing things that are not there, or confusion
- You still have these symptoms before it is time to take the next dose

Support from Hosparus Health is always available, day or night, 24/7. Call 1-800-264-0521.